Jean-Marie Dufour September 2011 Compiled: January 28, 2014

## ADVANCED ECONOMETRIC THEORY EXERCISES 5

## **UNBIASED ESTIMATION**

Reference: Gouriéroux and Monfort (1995, Chapter 6)

- 1. Identification and unbiased estimation. Demonstrate the following relationship between identifiability and unbiased estimation: if a function  $g(\theta)$  of a parameter  $\theta$  is not identifiable, then there is no unbiased estimator of  $g(\theta)$ .
- 2. **Regular model**. When is a dominated parametric model *regular*?
- 3. Fréchet-Darmois-Cramér-Rao inequality
  - (a) State the Fréchet-Darmois-Cramér-Rao inequality.
  - (b) Prove the Fréchet-Darmois-Cramér-Rao inequality.
- 4. Lehmann-Scheffé theorem. State and demonstrate the Lehmann-Scheffé theorem.
- 5. **Properties of best unbiased estimators**. Let  $T^*(Y)$  be an optimal unbiased estimator of  $g(\theta)$  and let T(Y) be any other unbiased estimator of  $g(\theta)$ . [The risk function is (matrix) quadratic risk.]
  - (a) Show that  $T^*(Y)$  and  $T(Y) T^*(Y)$  are uncorrelated.
  - (b) Show that the best optimal estimator is unique.
- 6. Least squares as best unbiased estimators. Consider the classical linear model

$$y = X\beta + u$$

where X is a fixed matrix of dimension  $n \times k$  such that  $1 \leq \text{rang } (X) = k < n$  and  $u \sim N[0, \sigma^2 I_n]$ .

- (a) Show that  $\hat{\beta} = (X'X)^{-1}X'y$  and  $s^2 = \hat{u}'\hat{u}/(n-k)$ , where  $\hat{u} = y X\hat{\beta}$ , are sufficient statistics for the parameter vector  $(\beta', \sigma^2)'$ .
- (b) Show that  $\hat{\beta}$  and  $s^2$  are optimal among all unbiased estimators of  $\beta$  and  $\sigma^2$  (according to matrix quadratic risk).

## References

GOURIÉROUX, C., AND A. MONFORT (1995): *Statistics and Econometric Models, Volumes One and Two*. Cambridge University Press, Cambridge, U.K., Translated by Quang Vuong.