Jean-Marie Dufour March 2010 Compiled: March 30, 2010

ADVANCED ECONOMETRIC THEORY EXERCISES 8

PREDICTION AND RESIDUALS

- 1. Exercise 11.1 in Gouriéroux and Monfort (1995, chap. 11).
- 2. Exercise 11.7 in Gouriéroux and Monfort (1995, chap. 11).
- 3. Let

$$Y_i = x'_i\beta + u_i, \quad i = 1, \dots, n+1$$

where all the hypotheses of the classical linear model are satisfied. If $\hat{\beta}_n$ is the ordinary least squares estimator of β based on $Y_1, ..., Y_n$, show that

$$\hat{Y}_{n+1} = x'_{n+1}\hat{\beta}_n$$
 and $\hat{e}_{n+1} = Y_{n+1} - \hat{Y}_{n+1}$

are correlated.

- 4. Explain the difference between:
 - (a) generalized residuals,
 - (b) simulated residuals;
 - (c) two-stage simulated residuals.
- 5. Consider the nonlinear regression model:

$$Y_t = f(x_t; \theta) + u_t, \quad t = 1, \dots, T + h, \ h \ge 1$$
$$u_t = \rho u_{t-1} + \varepsilon_t, \ |\rho| < 1$$

where x_t is fixed and ε_t is a random disturbance independent of $u_{t-1}, u_{t-2}, ...$, such that $\mathsf{E}(\varepsilon_t) = 0$.

- (a) Assuming that θ and ρ are known, compute the prediction of Y_{t+h} (in the mean-square error sense) based on Y_1, \dots, Y_T .
- (b) If θ and ρ are unknown, how would you predict Y_{t+h} ?

6. Consider a PROBIT model with the latent variable

$$Y_i^* = x_i'\theta + u_i, \quad i = 1, \ldots, n,$$

where x_1, \ldots, x_n are fixed and u_1, \ldots, u_n are independent N(0, 1) random variables. Find the generalized residuals for this model.

References

GOURIÉROUX, C., AND A. MONFORT (1995): Statistics and Econometric Models, Volumes One and Two. Cambridge University Press, Cambridge, U.K.