STATISTICAL INFERENCE FOR COMPUTABLE GENERAL EQUILIBRIUM MODELS, WITH APPLICATION TO A MODEL OF THE MOROCCAN ECONOMY

Touhami Abdelkhalek and Jean-Marie Dufour*

Abstract —We study the problem of measuring the uncertainty of computable general equilibrium (CGE) (or RBC)-type model simulations associated with parameter uncertainty. We describe two approaches for building confidence sets on model endogenous variables. The first uses a standard Wald-type statistic. The second approach assumes that a confidence set (sampling or Baycsian) is available for the free parameters, from which confidence sets are derived by a **projection technique**. The latter has two advantages: first, confidence set validity is not affected by model nonlinearities; second, we can easily build simultaneous confidence intervals for an unlimited number of variables. We study conditions under which these confidence sets take the form of intervals and show how they can be implemented using standard methods for solving CGE models. We present an application to a CGE model of the Moroccan economy to study the effects of policy-induced increases of transfers from Moroccan expatriates.

I. Introduction

↑OMPUTABLE general equilibrium (CGE) models are now widely used to simulate alternative economic policies in both developed and developing countries. For example, Martens (1993) has surveyed at least 120 models on more than 30 developing countries. For other reviews of the subject, see Shoven and Whalley (1984), Ballard et al. (1985), Manne (1985), Devarajan et al. (1986), Decaluwé and Martens (1988), and Gunning and Keyzer (1995). Such models are usually nonstochastic and nonlinear. They rely on various assumptions, such as agent behavior and the choice of exogenous variables (the "closure" of the model). The nature and quality of the data used also influence the results. These usually focus on the reference year of a social accounting matrix (in static models) or on a stationary equilibrium (in dynamic models), and the parameter values of behavioral functions. Available data do not typically allow one to estimate CGE models econometrically, and so "calibration" procedures are used to obtain models that can be simulated (see Mansur and Whalley (1984)).

As emphasized by Wigle (1986), the selection of the parameter values in CGE models may be highly subjective and thus raises a natural skepticism with regard to the reliability of the resulting simulations. Parameter values are usually obtained from other studies, possibly on different countries, and may even be entirely subjective. The "elasticities" available from the literature are often only distantly related to the case studied, coming from different countries or time periods than those we are interested in. Consequently there is a large uncertainty about these basic ingredients, which gets transmitted to simulation results. As CGE models are almost never estimated by econometric methods (for a rare and notable exception see, however, the work of Jorgenson (1984) and his associates), it is difficult to test the assumptions made. Even if model specification is not questioned, the credibility of the simulation results is affected by the uncertainty about the parameter values used. Indeed, Mansur and Whalley (1984, pp. 100, 103) have underscored the crucial character of this stage of the modelization: "The choice of elasticity values critically affects results obtained with these models" and "the set of elasticity values used are critical parameters in determining the general equilibrium impacts of policy changes generated by these models." Furthermore the elasticities or parameters which are most crucial may depend on the experiment conducted (see Pagan and Shannon (1987)). The critical role of parameter selection and the difficulties associated with the calibration of CGE models are also discussed in the survey of Shoven and Whalley (1984), who point out that the most widely used procedure for assessing the reliability of the simulations (when an attempt of this sort is made) consists in performing a few alternative simulations with different parameter values: "The procedure generally employed is to choose a central case specification, around which sensitivity analysis can be performed" (Shoven and Whalley (1984, pp. 1030 - 1031)).

The importance of this problem has been recognized by several authors, and various approaches have been proposed for assessing the simulation uncertainty induced by parameter uncertainty (see Pagan and Shannon (1985), Harrison (1986, 1989), Bernheim et al. (1989), Harrison and Vinod (1992), Wigle (1991), and Harrison et al. (1993)). The different methods proposed are fundamentally descriptive. They may be classified into five groups: limited sensitivity analysis (Bernheim et al. (1989), Wigle (1991)), conditional systematic sensitivity analysis (Harrison and Kimbell (1985), Harrison (1986), Harrison et al. (1993)), unconditional systematic sensitivity analysis (Bernheim et al. (1989), Harrison and Vinod (1992), Harrison et al. (1993)), the "Bayesian" approach of Harrison and Vinod (1992), and the extremal approach of Pagan and Shannon (1985). Limited sensitivity analysis is recommended by Shoven and Whalley (1984) and has been largely used in various applications of CGE models. It simply consists in looking at the sensitivity of the results when a few alternative parameter vectors are considered. Because of the discretionary character of the values selected, this procedure is of course quite unsatisfactory from the point of view of ensuring statistical "objectiv-

Received for publication January 30, 1997. Revision accepted for publication December 5, 1997.

^{*} I.N.S.E.A., Rabat; and Université de Montréal, respectively.

The authors thank André Martens, Randall Wigle, three anonymous referees, and the editor for several useful comments. Our research was conducted under the auspices of the PARADI program, which links the C.R.D.E. at the Université de Montréal and the C.R.E.F.A. at the Université Laval, and which is financed as a center of excellence in international development by the Canadian Agency for International Development. This work was also supported by the Social Sciences and Humanities Research of Canada and by the Government of Québec (Fonds FCAR).

ity." Conditional systematic sensitivity analysis examines the effect of perturbating one parameter at a time on the solution of the model. It so ignores possible interactions due to simultaneous perturbations and does not provide a criterion for determining the appropriate size of parameter perturbations. Unconditional systematic sensitivity analysis attempts to remedy this situation by considering a parameter grid. Although more satisfactory than previous approaches, this procedure has no statistical foundations and can easily be numerically expensive. The Bayesian approach of Harrison and Vinod relies on a "discretization" of the parameter space on which an a priori distribution is imposed. The latter is then used to compute a distribution, and in particular a measure of central tendency, on the solutions of the model. Finally the extremal approach of Pagan and Shannon is based on a linearization of the model based on the first and second derivatives of the endogenous variables with respect to the uncertain parameters. It is clearly the most rigorous procedure from a statistical viewpoint. In this paper, we shall largely rely on the setup considered by Pagan and Shannon (1985). The reader will find a more detailed description of these different approaches in Abdelkhalek (1994). Note also that Byron (1978) derived standard errors for the coefficients of large social accounting matrices (which are widely used to calibrate CGE models), but those have not apparently been exploited to assess simulation uncertainty in the context of CGE models.

In all these studies calibration is not explicitly studied. This procedure, largely used in CGE models, is considerably less demanding than econometric analysis, especially because only scant data are required. Mansur and Whalley (1984) and Lau (comment on Mansur and Whalley (1984, pp. 127–135)) simply point out that calibration also raises difficulties for the reliability of simulation results. Note finally that a somewhat different form of calibration has been used and discussed in the "real business cycle" (RBC) literature (see Gregory and Smith (1990, 1991, 1993), Canova (1994), Canova et al. (1992), Fève and Langot (1994), and Kim and Pagan (1995)). In this context, alternatives to calibration are usually based on the generalized method of moments and require considerable amounts of data. They are not appropriate for many situations where CGE models are applied, such as in developing countries. The distinction between the type of calibration in RBC models and that in CGE models is really one of definition. In CGE models one tries to find an equilibrium data set, ideally a particular year, to replicate. In RBC and stochastic CGE models one emulates the expected values, especially their first- and second-order moments. The methods developed here may clearly be adapted to measure uncertainty in RBC models. However, the peculiarities of such models (e.g., the fact that they are stochastic) require developments that go beyond the scope (and space limitations) of the present paper.

In this paper we study the problem of measuring the uncertainty of CGE model simulations in relation to parameter uncertainty. In section II we describe the general setup considered, which is similar to that of Pagan and Shannon (1985), and we show first that calibration can easily be covered by this setup. Then in two following sections, we describe two systematic approaches for assessing simulation uncertainty, both of which are based on the classical statistical notion of confidence set. More precisely, we deal with the problem of measuring simulation uncertainty in CGE models by building confidence sets for the endogenous variables of the model, given minimal information on parameter uncertainty in the sense that only one confidence set for the uncertain parameters (not a complete sampling distribution for a parameter estimate or a complete Bayesian prior or posterior distribution) may be sufficient. We study two methods for building such confidence sets. The first one (section III) is a direct extension of the approach proposed by Pagan and Shannon (1985). It is based on a standard Wald statistic and assumes that consistent asymptotically normal estimators are available for the free parameters of the model. We describe this method mainly because it is a natural follow-up under the assumptions considered by Pagan and Shannon (1985), although it has not apparently been discussed by previous authors in the context of CGE models. Instead we shall emphasize a second technique, which is both more reliable from a statistical viewpoint and (somewhat surprisingly) easier to implement in the context of CGE models. This second method (section IV) assumes that a confidence set (sampling or Bayesian) is available for the free parameters. Given this confidence set, we can then obtain valid confidence sets for the variables of interest by a projection technique. This approach has two important advantages. First, the validity of the confidence sets is not affected by the nonlinear character of the model. Second, it allows one to easily build simultaneous confidence intervals for an unlimited number of variables of interest (or transformations of these). Further, we study general conditions under which these confidence sets are connected (not a union of disjoint sets) or take the form of intervals, or both. Numerical procedures required to apply these methods are discussed in section V. In particular, we show that valid projection-based confidence sets can be obtained easily by using standard methods for solving CGE models, such as routines available in GAMS (Brooke et al. (1988)), which makes them both conceptually and numerically simple to implement in this context, indeed appreciably more than Wald-type confidence sets. Section VI presents an application of these procedures to a CGE model of the Moroccan economy built to study the economic effects of policyinduced increases of transfers from Moroccans working abroad. In particular, we found that the projection technique both was simple to implement in the case studied and yielded remarkably short and informative confidence intervals for the endogenous variables of interest. We conclude in section VII.

II. Framework

In general, a CGE model can be represented by a function M such that

$$Y = M(X, \beta, \gamma) \tag{1}$$

where Y is a vector of m endogenous variables, M is a (typically nonlinear) function which can be analytically complex but remains computable, X is a vector of exogenous (or policy) variables, β is a vector of p free parameters in a subset Γ of \mathbb{R}^{p} , and γ is a vector of k calibration parameters.

From a theoretical viewpoint, β and γ are not fundamentally different. However, they are treated quite differently in CGE models. While the components of β are parameters (such as elasticities) of the behavioral functions of the model (representing utility and demand, production and supply, imports, exports, etc.), the elements of γ are usually scale or share parameters. The calibration process determines a value of γ that allows the model to reproduce *exactly* the data or a reference year (possibly adjusted to take into account special circumstances), given the value of the free parameter β . Consequently it is not surprising that the selection of these parameters may strongly influence simulation results. In other words, when calibrating a model, we consider the equation $Y_0 = M(X_0, \beta, \gamma)$, where Y_0 , and X_0 are the vectors of endogenous and exogenous variales for a reference year, and solve it for γ (assuming there is a unique solution),

$$\gamma = \boldsymbol{H}(\boldsymbol{Y}_0, \boldsymbol{X}_0, \boldsymbol{\beta}) \equiv \boldsymbol{h}(\boldsymbol{\beta}). \tag{2}$$

When an estimate $\hat{\beta}$ of β is available, γ is estimated on replacing β by $\hat{\beta}$ in equation (2). Moreover, γ can usually be decomposed into subvectors γ_1 and γ_2 , where γ_1 does not depend on β while the subvector γ_2 is a function of β , X_0 , and Y_0 . We can then write

$$\gamma_1 = h_1(Y_0, X_0), \qquad \gamma_2 = h_2(Y_0, X_0, \beta).$$
 (3)

Provided X is known and the deterministic character of the model is not questioned, we can simplify notations and write the model in the more compact form

$$Y = \overline{g}(X,\beta) \equiv g(\beta) \tag{4}$$

where the functions \overline{g} and g are defined for a particular reference year (after calibration) while g also treats X as given. This formalization of the calibration process will be useful for both the theoretical developments and the implementation of the methods proposed in this paper.

Usually the investigator is interested by the effects of alternative policies, which are represented by elements of X. The solutions of model M, simulated with different values of X, are then compared and used for decision making. All these solutions depend on the estimate employed for β . Theoretically this vector should be estimated by economet-

ric methods that would yield a covariance matrix for β . Unfortunately this is not the case in most CGE-based studies. Usually no measure of uncertainty is provided, and the only method used to assess this uncertainty consists in looking at the sensitivity of the results to a few parameter configurations.

Note also that the difficulties associated with the calibration of CGE models are not directly taken into account by the procedures of sensitivity analysis briefly discussed in the previous section. These procedures only consider the estimation of β , not γ . In CGE models the dimension of $(\beta', \gamma')'$ can be quite large and its econometric estimation difficult, if not impossible. Indeed, the number of parameters of CGE model increases rapidly with the number of sectors and consumers considered. Statistical series at high levels of dissaggregation are usually not available, so the number of unknown parameters may easily exceed the number of observations. Calibration may be interpreted as an estimation of γ based on data for a single year. It is clear that this is only pointwise estimation and the uncertainty of the estimate of β is not taken into account. We will now propose more systematic approaches for assessing simulation uncertainty.

III. Wald-Type Confidence Sets

In this section we consider a setup identical to the one studied by Pagan and Shannon (1985). In particular, let us suppose that an estimate $\hat{\beta}_T$ of β is available; $\hat{\beta}_T$ is based on a sample of size T with an asymptotically normal distribution,

$$\sqrt{T}(\hat{\beta}_T - \beta) \xrightarrow[T \to \infty]{} N[0, V(\beta)]$$
(5)

where det $[V(\beta)] \neq 0$, with a consistent estimator $\hat{V}_T(\hat{\beta}_T)$ of $V(\beta)$: plim $_{T\to\infty}$ $\hat{V}_T(\hat{\beta}_T) = V(\beta)$. Under usual regularity conditions (see Gouriéroux and Monfort (1989, vol. 2, R.245, p. 556) or Serfling (1980, chap. 3)), we then have

$$\sqrt{T}[g(\hat{\beta}_T) - g(\beta)] \underset{T \to \infty}{\to} N[0, G(\beta)V(\beta)G(\beta)']$$

where $G(\beta)$ is the (m, p) matrix $G(\beta) = \partial g(\beta)/\partial \beta'$. If

$$\operatorname{rank}\left[\boldsymbol{G}(\boldsymbol{\beta})\right] = \boldsymbol{m} \tag{6}$$

and setting $\hat{\Omega}_T = G(\hat{\beta}_T) \hat{V}_T(\hat{\beta}_T) G(\hat{\beta}_T)'$, the variable

$$W_T(Y) = T[g(\hat{\beta}_T) - Y]' \hat{\Omega}_T^{-1}[g(\hat{\beta}_T) - Y]$$
(7)

is asymptotically distributed like a $\chi^2(m)$ variable when $Y = g(\beta)$. Consequently the set

$$C_{Y}(\alpha) = \left\{ Y: \quad W_{T}(Y) \leq \chi_{\alpha}^{2}(m) \right\}$$
$$= \left\{ Y: \quad T[g(\hat{\beta}_{T}) - Y]' \hat{\Omega}_{T}^{-1}[g(\hat{\beta}_{T}) - Y] \qquad (8)$$
$$\leq \chi_{\alpha}^{2}(m) \right\}$$

where $P[\chi^2(m) \ge \chi^2_{\alpha}(m)] = \alpha$, is a confidence set for $Y = g(\beta)$ with level $1 - \alpha$ asymptotically. As special cases of $C_Y(\alpha)$, we can also obtain confidence intervals for each element of Y.

Since the rank condition (6) is not satisfied when m > p, that is, when there are more endogenous variables than unknown parameters in β , one can build ellipsoidal confidence sets only if the number of endogenous variables is not larger than the dimension of β . Nevertheless, even if m > p, we can still build simultaneous rectangular confidence sets for any number of endogenous variables. Indeed, an individual confidence interval with level $1 - \alpha_i$ (asymptotically) for the *i*th endogenous variable $Y_i = g_i(\beta)$ is given by

$$\boldsymbol{C}_{i}(\boldsymbol{\alpha}_{i}) = \left\{ \boldsymbol{Y}_{i}: \quad \boldsymbol{T}[\boldsymbol{g}_{i}(\boldsymbol{\beta}_{T}) - \boldsymbol{Y}_{i}]^{2} / \hat{\boldsymbol{\omega}}_{iT} \leq \chi^{2}_{\boldsymbol{\alpha}_{i}}(1) \right\}$$
(9)

where $\hat{\omega}_{iT}$ is the *i*th diagonal element of $\hat{\Omega}_T$ and $g(\beta) = [g_1(\beta), g_2(\beta), \dots, g_m(\beta)]'$. We then have for *T* sufficiently large,

$$\boldsymbol{P}[\boldsymbol{g}_i(\boldsymbol{\beta}) \in \boldsymbol{C}_i(\boldsymbol{\alpha}_i)] = 1 - \boldsymbol{\alpha}_i, \qquad i = 1, \dots, \boldsymbol{m}.$$
(10)

Each set $C_i(\alpha_i)$ is thus a valid confidence interval with level $1 - \alpha_i$ for Y_i . It would also be interesting to combine these to obtain a simultaneous confidence set. Unfortunately, individual intervals are not typically independent and the stochastic relationship between the former is difficult to establish. Nevertheless, on using the Boole–Bonferroni inequality, we see that

$$1 - \sum_{i=1}^{k} P[g_{i}(\beta) \notin C_{i}(\alpha_{i})]$$

$$\leq P[g_{i}(\beta) \in C_{i}(\alpha_{i}), \quad i = 1, \dots, k]$$

$$\leq \min_{1 \leq i \leq k} P[g_{i}(\beta) \in C_{i}(\alpha_{i})]$$
(11)

for any $1 \le k \le m$. Hence

$$1 - \sum_{i=1}^{k} \alpha_{i}$$

$$\leq P[g_{i}(\beta) \in C_{i}(\alpha_{i}), \quad i = 1, \dots, k]$$

$$\leq \min_{1 \leq i \leq k} (1 - \alpha_{i}).$$
(12)

Moreover, if the marginal confidence sets $C_i(\alpha_i)$ all have the same level $1 - \alpha_1$, we have $1 - k\alpha_1 \leq P[g_i(\beta) \in C_i(\alpha_i), i = 1, ..., k] \leq 1 - \alpha_1$, so that the simultaneous confidence set $\{Y \in \mathbb{R}^k: Y_i \in C_i(\alpha_i), i = 1, ..., k\}$ has level not smaller than $1 - k\alpha_1$. If we wish to obtain a simultaneous confidence set whose level is not smaller than $1 - \alpha$, it is then sufficient to build marginal confidence sets with levels $1 - \alpha_i, i = 1, ..., k$, where $\sum_{i=1}^k \alpha_i = \alpha$. In particular, we can take $\alpha_i = \alpha/k, i = 1, ..., k$.

The confidence sets developed in this section are remarkably simple. They suppose, however, that the function $g(\beta)$ can be approximated reasonably well by linear functions (at least locally) and that the distribution of $\sqrt{T(\hat{\beta}_T - \beta)}$ is approximately normal. These limitations are identical with those of the approach of Pagan and Shannon (1985).

IV. Projection-Based Confidence Sets

Suppose now that we have a confidence set C with level $1 - \alpha$ for β . In other words, C is a subset of \mathbb{R}^{p} such that

$$\boldsymbol{P}[\boldsymbol{\beta} \in \boldsymbol{C}] \ge 1 - \boldsymbol{\alpha} \tag{13}$$

with $0 \le \alpha < 1$. The region *C* can be interpreted in two different ways. First, *C* may be a sampling confidence set obtained by statistical methods (typically, an earlier study), that is, C = C(Z) is a random subset of \mathbb{R}^{p} , based on a sample *Z*, such that the probability that the fixed vector β be covered by C(Z) is at least $1 - \alpha$. Second, in other cases β itself may be viewed as a random vector and *C* is a Bayesian confidence set for β . The arguments that follow are applicable irrespective of the interpretation adopted.

Denote by g(C) the image of the set C by function g,

$$g(C) = \{ Y \in \mathbb{R}^m : Y = g(\beta_0)$$

for at least one $\beta_0 \in C \}.$ (14)

It is then clear that $\beta \in C \Rightarrow g(\beta) \in g(C)$. Hence

$$\boldsymbol{P}[\boldsymbol{g}(\boldsymbol{\beta}) \in \boldsymbol{g}(\boldsymbol{C})] \ge \boldsymbol{P}[\boldsymbol{\beta} \in \boldsymbol{C}] \ge 1 - \alpha, \quad \text{for all } \boldsymbol{\beta} \in \boldsymbol{\Gamma}.$$
(15)

This means g(C) is a confidence set for $g(\beta)$ with level at least $1 - \alpha$ (see Rao (1973, sec. 7b.3, p. 473)).¹ As the function g is usually nonlinear, the set g(C) may not be easy to determine or visualize. It is not generally an interval or an ellipse. So we may find interesting to simplify its structure. To do this, write

$$g_i(C) = [Y_i \in \mathbb{R}: \quad Y_i = g_i(\beta_0) \text{ for some } \beta_0 \in C],$$

$$i = 1, \dots, m.$$
(16)

It is then clear that $g(\beta) \in g(C) \Rightarrow g_i(\beta) \in g_i(C)$ for i = 1, ..., *m*. Hence by equation (15),

$$\boldsymbol{P}[\boldsymbol{g}_i(\boldsymbol{\beta}) \in \boldsymbol{g}_i(\boldsymbol{C}), \quad \boldsymbol{i} = 1, \dots, \boldsymbol{m}] \ge 1 - \alpha \tag{17}$$

$$\boldsymbol{P}[\boldsymbol{g}_i(\boldsymbol{\beta}) \in \boldsymbol{g}_i(\boldsymbol{C})] \ge 1 - \alpha, \qquad \boldsymbol{i} = 1, \dots, \boldsymbol{m}. \tag{18}$$

The inequality (17) shows the sets $g_i(C)$, i = 1, ..., m, constitute *simultaneous* confidence sets with level $1 - \alpha$ for the components of Y, whereas equation (18) gives *marginal*

¹ For other examples of similar projection techniques in econometrics, see Dufour (1989, 1990), Dufour and Kiviet (1996, 1998), Campbell and Dufour (1997), and Kiviet and Dufour (1997).

confidence sets with level $1 - \alpha$ for each component of Y.² These marginal confidence sets $g_i(C)$ are subsets of the real numbers, which are simpler to apprehend than the multidimensional set g(C). However, without further assumptions, they do not generally take the form of intervals.

To obtain confidence regions that take the form of intervals, consider the values $g_i^L(C)$ and $g_i^U(C)$ defined as follows:

$$g_i^L(C) = \inf \{g_i(\beta_0): \beta_0 \in C\}, \quad i = 1, \dots, m$$

$$g_i^U(C) = \sup \{g_i(\beta_0): \beta_0 \in C\}, \quad i = 1, \dots, m$$
(19)

where $g_i^L(\underline{C})$ and $g_i^U(C)$ take their values in the extended real numbers $\mathbb{R} = \mathbb{R} \cup [-\infty, +\infty]$. Then, for all $\beta \in C$,

$$g_i(\beta) \in g_i(C),$$
 $i = 1, \ldots, m$
 $\Rightarrow g_i^L(C) \le g_i(\beta) \le g_i^U(C),$ $i = 1, \ldots, m.$

Hence

$$P[g_i^L(C) \le g_i(\beta) \le g_i^U(C), \quad 1 \le i \le m]$$

$$\ge P[g_i(\beta) \in g_i(C), \quad 1 \le i \le m]$$

$$\ge 1 - \alpha.$$
 (20)

The intervals $[g_i^L(C), g_i^U(C)], i = 1, ..., m$, are thus valid simultaneous confidence intervals (with level $1 - \alpha$) for $Y_i = g_i(\beta), i = 1, ..., m$. It is also clear that

$$P[g_i^L(C) \le g_i(\beta) \le g_i^U(C)] \ge 1 - \alpha,$$

$$i = 1, \dots, m.$$
(21)

We should note here two important points. First, the interval $[g_i^L(C), g_i^U(C)]$ is generally larger than $g_i(C)$, in the sense that $g_i(C) \subseteq [g_i^L(C), g_i^U(C)]$. Second, this interval is not necessarily bounded, that is, we may have $g_i^L(C) = -\infty$ or $g_i^U(C) = +\infty$. It would be interesting to determine conditions under which $g_i(C) = [g_i^L(C), g_i^U(C)]$, where the interval $[g_i^L(C), g_i^U(C)]$ is closed and bounded. We give such conditions in the three following propositions.

If we suppose the function g is continuous (as did Pagan and Shannon (1985), Wigle (1991), and Bernheim et al. (1989)) and the confidence set C is compact and/or connected in \mathbb{R}^{p} , some interesting properties can be derived.³ More precisely, if we suppose g is continuous and the confidence set C is compact (i.e., C is closed and bounded in $\mathbb{R}\mathbb{R}^{p}$), then the confidence set g(C) for $g(\beta)$ is also compact. Similarly, each function g_i is bounded in C and reaches both a maximum and a minimum at points in C. In this case, we can find vectors β_i^L and β_i^U in \mathbb{R}^{p} such that $g_i(\beta_i^L) = g_i^L(C)$ and $g_i(\beta_i^U) = g_i^U(C)$, i = 1, ..., m. This result is summarized in the following proposition.

Proposition 1: If the function $g(\cdot)$ is continuous and the confidence set C is compact in \mathbb{R}^{p} , then the simultaneous confidence set g(C) in \mathbb{R}^{m} and the univariate confidence sets $g_{i}(C), i = 1, \ldots, m$, in \mathbb{R} are compact.

The proofs of the propositions are given in appendix A. Thus when the region *C* is *compact* and *g* is *continuous*, the values $g_i^L(C)$ and $g_i^U(C)$ yield a closed confidence interval for the endogenous variable Y_i , for any i = 1, ..., m. However, if we add a connexity assumption on C, further refinements are possible. Indeed if, in addition to the continuity of g, we assume the confidence set C for β is connected (i.e., one cannot find two open subsets O_1 and O_2 of \mathbb{R}^{p} , both meeting C, such that $C \subseteq O_1 \cup O_2$ and $C \cap O_1 \cap O_2 = \emptyset$, the confidence region g(C) for $g(\beta)$ is also connected in \mathbb{R}^{m} . Clearly this is the case when C is an ellipsoid. Similarly, the marginal confidence sets $g_i(C)$, i =1, ..., m, are connected in \mathbb{R} . A subset of \mathbb{R} is connected only if it is an interval. Thus under these two conditions, we get confidence sets of the form $(-\infty, g_i^U(C)), (-\infty, g_i^U(C)], (g_i^L(C), \infty), [g_i^L(C), \infty), (-\infty, \infty), (g_i^L(C), g_i^U(C)), [g_i^L(C), g_i^U(C)), g_i^L(C), g_i^U(C)]$ or $[g_i^L(C), g_i^U(C)]$. This result is in turn summarized by the following proposition.

Proposition 2: If the function $g(\cdot)$ is continuous and the confidence set C is connected in \mathbb{R}^p , then the confidence set g(C) in \mathbb{R}^m and the univariate confidence sets $g_i(C)$, $i = 1, \ldots, m$, in \mathbb{R} are connected. In particular, the sets $g_i(C)$, $i = 1, \ldots, m$, are intervals in \mathbb{R} .

Finally, if in addition to the continuity of g, the region C is **both** compact and connected in \mathbb{R}^{p} , we can see that $g_{i}(C) = [g_{i}^{L}(C), g_{i}^{U}(C)].$

Proposition 3: If the function $g(\cdot)$ is continuous and the confidence set C is compact and connected in \mathbb{R}^p , then each one of the univariate confidence intervals $g_i(C)$, i = 1, ..., m, is compact and connected in \mathbb{R} , so that $g_i(C) = [g_i^L(C), g_i^U(C)]$, with $g_i^L > -\infty$ and $g_i^U < +\infty$.

To illustrate how one can build the intervals $[g_i^L(C), g_i^U(C)]$ in practice, consider the special case studied by Pagan and Shannon (1985) when the confidence set *C* is an ellipsoid:

$$\boldsymbol{C} = \left[\beta_0 \in \mathbb{R}^p : \quad (\hat{\boldsymbol{\beta}} - \beta_0)' \boldsymbol{A} (\hat{\boldsymbol{\beta}} - \beta_0) \le \boldsymbol{c}(\boldsymbol{\alpha}) \right]$$
(22)

where β is an estimate of β and A is the inverse of the covariance matrix of $\hat{\beta}$. Or again, according to a Bayesian interpretation, $\hat{\beta}$ is the a priori (or a posteriori) mean of β and A is the inverse of the a priori (or a posteriori) covariance matrix of $\hat{\beta}$. In this case, the confidence set C is

² For a more detailed discussion of *simultaneous* and *marginal* confidence sets, see Miller (1981) and Dufour (1989).

³ For conditions ensuring that $g(\cdot)$ is continuous, see Kehoe (1983).

both compact and connected. Since g is differentiable by assumption, the confidence sets (14) and (16) are necessarily compact and connected by propositions 1 and 2. In particular, marginal confidence sets for the endogenous variables Y_i of the model are closed bounded intervals. The bounds $g_i^L(C)$ and $g_i^U(C)$ can be obtained by respectively minimizing and maximizing $g_i(\beta)$ on the set C. Under usual regularity conditions, $g_i^L(C)$ and $g_i^U(C)$ may be computed by the Lagrange multiplier method. Setting

$$\mathscr{L} = \boldsymbol{g}_{i}(\boldsymbol{\beta}_{0}) + \frac{\lambda}{2} \left[(\hat{\boldsymbol{\beta}} - \boldsymbol{\beta}_{0})' \boldsymbol{A} (\hat{\boldsymbol{\beta}} - \boldsymbol{\beta}_{0}) - \boldsymbol{c}(\boldsymbol{\alpha}) \right]$$
(23)

the values of β_0 that minimize and maximize $g_i(\beta_0)$ under the restriction $\beta \in C$ must satisfy

$$\frac{\partial \mathscr{L}}{\partial \beta_0} = \frac{\partial g_i}{\partial \beta_0} - \lambda A(\hat{\beta} - \beta_0) = 0,$$

$$(\hat{\beta} - \beta_0)' A(\hat{\beta} - \beta_0) = c(\alpha).$$
(24)

Assuming *A* is nonsingular, it follows from equation (24) that the values of β_0 which yield $g_i^L(C)$ and $g_i^U(C)$, denoted by $\beta_{(i)}^L$ and β_i^U , solve the equation

$$\boldsymbol{\beta}_{(i)}^{\star} = \hat{\boldsymbol{\beta}} \pm \left[\frac{(\partial \boldsymbol{g}_i / \partial \boldsymbol{\beta}_0)' \boldsymbol{A}^{-1} (\partial \boldsymbol{g}_i / \partial \boldsymbol{\beta}_0)}{\boldsymbol{c}(\boldsymbol{\alpha})} \right]^{-1/2} \boldsymbol{A}^{-1} \left(\frac{\partial \boldsymbol{g}_i}{\partial \boldsymbol{\beta}_0} \right). \quad (25)$$

Note that the bounding values β_i^L and β_i^U were also considered by Pagan and Shannon (1985), but without reference to the fact that $[g_i^L(C), g_i^U(C)]$ can be interpreted as a confidence interval.

This method of building confidence intervals for the endogenous variables of a CGE model is valid in finite samples, in contrast to the Wald-type procedure discussed previously, which only has an asymptotic justification. No linear approximation to the (generally nonlinear) relationship between the endogenous variables and β is made. Of course, the projection technique does not solve by itself the problem of finding a confidence set for β , which in a sampling framework should be obtained by inverting "pivotal" functions (see Dufour (1997)). But it clearly eliminates possible level distortions associated with the nonlinearity of the function $g(\beta)$. Further, as we will see, its numerical implementation is considerably less demanding than one would expect at first sight.

V. Algorithms and Numerical Procedures

In this section we discuss algorithms for applying the procedures proposed in sections III and IV. They can be implemented with various software. The one we used is GAMS-MINOS (see Brooke et al. (1988)), which is by far the one most widely utilized by CGE model builders.

A. Wald-Type Procedure

To implement the Wald-type procedure, we need estimates $\hat{\beta}_T$ and $\hat{V}_T = \hat{V}_T(\hat{\beta}_T)$ of β and $V(\beta)$, respectively. Under appropriate differentiability assumptions, we can then compute $\hat{\Omega}_T = G(\hat{\beta}_T) \hat{V}_T(\hat{\beta}_T) G(\beta_T)'$. In general the derivatives $G(\beta_T)$ must be evaluated by standard numerical methods. Provided $\hat{\Omega}_T$ is invertible, we get from equation (8) that the set

$$C(\alpha) = \left\{ g(\beta): \quad W_T(g(\beta)) \le \chi^2_{\alpha}(m) \right\}$$
$$= \left\{ g(\beta): \quad T[g(\hat{\beta}_T) - g(\beta)]' \qquad (26)$$
$$\times \hat{\Omega}_T^{-1}[g(\hat{\beta}_T) - g(\beta)] \le \chi^2_{\alpha}(m) \right\}$$

is a confidence set with level $1 - \alpha$ asymptotically for the vector $g(\beta)$. Depending on the value of m, the set $C(\alpha)$ can be an interval, an ellipsoid, or a hyperellipsoid. When m > p, we can still build simultaneous confidence intervals for the components of Y. For further details on the implementation of this procedure, see appendix B.

B. Projection Procedure

Although the theory of the projection technique is fairly simple, numerical methods for applying it to CGE models may be less so. The procedure requires a confidence set C(sampling or Bayesian) in \mathbb{R}^{P} such that $P[\beta \in C] \geq 1 - \alpha$, with $0 \leq \alpha < 1$. Since the set C may sometimes cover economically or numerically inadmissible values (e.g., negative values or values for which the model does not admit a solution), the confidence set C can be restricted only to its admissible values. In a Bayesian setup, this simply involves restricting the support of the prior distribution. For sampling (frequentist) confidence sets, it is easy to see that eliminating (truncating) inadmissible values from a confidence set does not modify its level. If $P[\beta \in C] \geq 1 - \alpha$ and $\beta \in C_0$, where C_0 is a set of admissible values for β representing a priori information, we have $\beta \in C \Leftrightarrow \beta \in C \cap C_0$. Hence

$$\boldsymbol{P}[\boldsymbol{\beta} \in \boldsymbol{C}] = \boldsymbol{P}[\boldsymbol{\beta} \in \boldsymbol{C} \cap \boldsymbol{C}_0] \ge 1 - \alpha. \tag{27}$$

We will now show how one can build valid confidence regions by projection while taking into account the "calibration" of the model. Typically the numerical solution of a CGE model is obtained in two steps. First, the model is "calibrated," that is, a number of unknown parameters γ are fixed to reproduce the data of the reference year given an estimate of the free parameter vector β and the values of the endogenous and exogenous variables of this year. Second, the model is solved with different values of the exogenous variables (e.g., policy variables), given the values of all parameters obtained at the end of the first step. In general, one must solve a set of nonlinear equations. This leads to the following algorithm:

- 1. Compute $\hat{\gamma}_1 = \boldsymbol{h}_1(\boldsymbol{Y}_0, \boldsymbol{X}_0), \, \hat{\gamma}_2 = \boldsymbol{h}_2(\boldsymbol{Y}_0, \boldsymbol{X}_0, \hat{\boldsymbol{\beta}}).$
- 2. Given β , X_0 , X_1 , Y_0 , $\hat{\gamma}_1$, and $\hat{\gamma}_2$, compute $Y = M(X_1, \hat{\gamma}_1, \hat{\gamma}_2, \hat{\beta})$.

In practice, to compute Y, we must solve a potentially complex nonlinear equation system. Using the GAMS-MINOS program, this can be done by maximizing a constant function under the constraints that represent the model.

Projection-based confidence sets may be obtained by a modification of this procedure. To do this, the free parameters and the associated calibrated parameters γ_2 are treated as endogenous "variables" just like the other endogenous variables Y of the model. More formally, given X_0 , X_1 , and Y_0 and a confidence set with level $1 - \alpha$ for β (possibly specified by inequalities), we consider the following procedure:

- 1. Compute $\hat{\gamma}_1 = h_1(Y_0, X_0)$.
- 2. For each i = 1, ..., m, both maximize and minimize $Y_i = \overline{g_i}(X_1, \beta) = g_i(\beta)$ subject to the restrictions $Y = M(X_1, \hat{\gamma}_1, \gamma_2, \beta), \gamma_2 = h_2(Y_0, X_0, \beta), \text{ and } \beta \in C \cap C_0.$

This nonlinear program must be solved at most 2m times to determine the lower and upper bounds of the confidence intervals for each endogenous variable of interest. A good initialization usually accelerates convergence. In particular, good initial estimates of the calibrated parameters and the endogenous variables may be good starting points. The first step of this revised algorithm determines, from data of the social accounting matrix of the reference year (or its equivalent), the values of the calibrated parameters that do not depend on free parameters. Then given X_1 , the second step treats the free parameters in β and the associated calibrated parameters γ_2 as additional variables, while the calibration equations are treated as additional relationships of the model. The inequalities that define the confidence set on β are also added to the model. The basic structure of the latter is preserved by this program, but the parameters (β' , γ'_2 are specified as variables. The optimization problem is then solved by minimizing and maximizing each variable of interest. Note that the number of times the model is solved depends on the number of variables for which we wish to build confidence intervals, not the number of parameters psubject to uncertainty (as happens for the Wald-type procedure). Depending on the values *m* and *p*, one may prefer one procedure over the other. Again, this approach can be applied to any endogenous variable of the model. Simultaneous confidence sets based on Boole-Bonferroni inequalities can also be built for several endogenous variables at a time.

VI. Application to a CGE Model of the Moroccan Economy

To illustrate the procedures proposed in the previous sections, we have built a simple CGE model of the Moroccan economy.⁴ This model has a fairly standard structure close to the one of models developed by Devarajan et al. (1990), de Melo and Robinson (1989), Condon et al. (1987), and Martin et al. (1993). We will use it to study the economic impact of a 25% increase of transfers from Moroccans working abroad (or workers' remittances), an important source of currency for Morocco. Although this question has intrinsic interest, our first objective here will be to illustrate the methodology proposed. Consequently we have adopted the most simplified structure that will make clear the procedures. The latter may of course be applied to more complex models. Although simplified, our model will illustrate the methods suggested for assessing the uncertainty associated with the free parameters of the model, which in our case will be foreign trade elasticities.

A. Simplified CGE Model of the Moroccan Economy

The model studied here is of the "1-2-3" type, representing the economy of a single country, Morocco in this case, with two sectors and three goods. Each one of the two sectors produces one good. The first one EX is deemed for export and not sold on the domestic market. The second good D is produced and sold on the domestic market. The third good M is imported and not produced domestically. The assumption that Morocco is a small country is preserved so that the prices of exports and imports are exogenous. More precisely, to model foreign trade, we have used a formalization based on recent theories of product differentiation as described by de Melo and Robinson (1989, 1992). It is clear that this modelization can have an important influence on the results of policy simulations, especially when the latter affect the foreign sector directly. In this theory, an imperfect substitutability between goods is assumed (Armington hypothesis), in contrast to the classical assumption of perfect substitutability between local and imported goods. More precisely, we have a composite good Q consumed on the domestic market, which is a function of imports M and the domestically produced good D with constant elasticity of substitution (CES) between M and D. The representative consumer selects a combination of M and D that minimizes total expenditure given the two corresponding prices p_M and p_D and the level Q. The Armington formulation of this CES function is given by

$$Q = B(\delta M^{-\rho} + (1 - \delta)D^{-\rho})^{-1/\rho}$$

= $B(\delta M^{(\sigma-1)/\sigma} + (1 - \delta)D^{(\sigma-1)/\sigma})^{\sigma/(\sigma-1)}$ (28)

where $\sigma = 1/(1 + \rho)$ is the CES between imported and domestic goods, **B** is a constant that depends on measurement units, and δ is a weighting parameter. In our terminology, following usual calibration procedures for this type of function in CGE models (see Mansur and Whalley (1984)),

⁴ A detailed description of this model appears in Abdelkhalek (1994).

B and δ are calibrated parameters, whereas $\sigma(\text{or }\rho)$ is a free parameter that needs to be estimated before calibration.

The first-order equilibrium condition for this problem is given by the equality of the price ratio between the two goods and the marginal rate of substitution between imported and domestic goods, or equivalently,

$$\frac{M}{D} = \left(\frac{\delta}{1-\delta}\right)^{\sigma} \left(\frac{p_D}{p_M}\right)^{\sigma}.$$
(29)

The prices p_M and p_D are endogenous. The price p_c of the composite good is determined by the equations

$$p_{C}Q = p_{M}M + p_{D}D, \qquad p_{M} = p_{wm}(1 + t_{m})E$$
 (30)

where p_{wm} is the international price of imports, t_m the duty rate on imports, and E the nominal exchange rate, which can be fixed in some formulations of the model.

Exports are modeled in a comparable way. Again, in contrast with the standard small economy hypothesis, we suppose that there is product and market differentiation. It is still assumed that Morocco is a "pricetaker" on the international market, but domestic producers can choose to direct their supply, denoted X^s , either toward the domestic market or toward exports, depending on relative prices. Since there is a quality difference between products sold locally and exported products, a constant elasticity of transformation (CET) function between these two products is specified. Exports come from local production (not the composite good), so the direct content in import of exports is taken to be zero. However, their indirect content through intermediate consumption may not be void. Producers maximize their income given the technological constraint represented by the transformation function, that is, they maximize

$$pX^s = p_D D + p_E EX \tag{31}$$

subject to the constraint

$$\boldsymbol{X}^{s} = \boldsymbol{B}_{E}[\boldsymbol{\gamma}\boldsymbol{E}\boldsymbol{X}^{\psi} + (1-\boldsymbol{\gamma})\boldsymbol{D}^{\psi}]^{1/\psi}.$$
(32)

The price of exports p_E , the price of the domestic good p_D , as well as the composite supply price p are endogenous. p_E is evaluated in national currency and defined by the expression

$$\boldsymbol{p}_E(1+\boldsymbol{t}_e) = \boldsymbol{p}_{we}\boldsymbol{E} \tag{33}$$

where p_{we} is the international price of exports, E the nominal exchange rate, and t_e the duty rate on exports. Again, to help interpretation, we define $\Omega = 1/(\psi - 1)$, or $\psi = (1 + \Omega)/\Omega$. As before, B_E is a scale parameter, γ a weight coefficient, and Ω a CET between exports and the domestic good. B_E and γ are calibrated parameters, whereas Ω (or ψ) is a free parameter for which an estimate is required. The maximiza-

tion of equation (31) subject to equation (32) yields the condition

$$\frac{EX}{D} = \left(\frac{1-\gamma}{\gamma}\right)^{\alpha} \left(\frac{p_E}{p_D}\right)^{\alpha}.$$
(34)

This way of modeling foreign trade, studied in detail by de Melo and Robinson (1989) and Devarajan et al. (1990), is widely used in CGE models.⁵ It appears more realistic than the classical assumption of perfect substitutability between goods. The two functions CES and CET are sufficiently easy to manipulate in analytic derivations and calibration, even though a free parameter is introduced by each function. The function are homogenous of degree 1 with respect to their arguments. Given a hypothesis of factor full employment, the CET function defines a concave production possibility frontier between exports and sales on the domestic market.

Equations (28)–(34) all belong to the model. Overall, the model has 30 equations (including Walras' law), 42 variables, 2 free parameters, 10 calibration parameters, and 5 tax parameters. To solve it, we need to treat as exogenous 13 of the 42 variables. By the small-country assumption it is natural to take the prices of exports and imports as exogenous. Six categories of transfers between agents (government to firms, government to households, government to the rest of the world, rest of the world to households, rest of the world to government, firms to the rest of the world), government expenditures, total labor, and capital are also taken as exogenous. This corresponds to a classical "closure" of the model, in the sense that investment adjusts itself to total available saving (see Decaluwé et al. (1988)), which could be contrasted with Keynesian, Kaldorian, and Johansentype closures. To complete the closure, the balance of the current account is treated as exogenous (the nominal exchange rate remains endogenous), and the price p_c of the composite good is taken as numeraire (fixed by definition).

B. Deterministic Calibration of Model

To calibrate the model described, we used a social accounting matrix of the Moroccan economy constructed by G.R.E.I. (1992) and econometric estimates of the two free parameters (the foreign trade elasticities σ and Ω). To show how this is done, consider the Armington-type model for imports described earlier. To calibrate the parameters that appear in this function, we first need an estimate of the substitution elasticity σ . Then, using the first-order condition (29), the data on the values Q_0 , M_0 , D_0 , p_{D_0} , and p_{M_0} of the reference year, and a normalization convention on the prices of the same year,⁶ we can write

$$\left(\frac{\boldsymbol{M}_{0}}{\boldsymbol{D}_{0}}\right)^{1/\tilde{\sigma}} = \left(\frac{\delta}{1-\delta}\right) \left(\frac{\boldsymbol{p}_{D}}{\boldsymbol{p}_{M_{0}}}\right)$$
(35)

⁵ For a review, see Decaluwé and Martens (1988).

⁶ As done usually in CGE models, all pretax (or presubsidy) prices are nomalized to 1 for the reference year.

from which we get an estimate of δ

$$\hat{\delta} = \frac{(p_{M_0}/p_{D_0})(M_0/D_0)^{1/\hat{\sigma}}}{1 + (p_{M_0}/p_{D_0})(M_0/D_0)^{1/\hat{\sigma}}} \equiv h_{21}(\hat{\sigma}).$$
(36)

An estimate of the scale parameter B follows on using equation (28),

$$\hat{B} \equiv h_{22}(\hat{\sigma}) = \frac{Q_0}{(\hat{\delta}M_0^{(\hat{\sigma}-1)/\hat{\sigma}} + (1-\hat{\delta})D_0^{(\hat{\sigma}-1)/\hat{\sigma}})^{\hat{\sigma}/(\hat{\sigma}-1)}}.$$
 (37)

In equations (36) and (37) the crucial role played by the free parameter for determining the other parameters is clear. In this case we usually have $D_0 > M_0$, which entails that $h_{21}(\hat{\sigma})$ is an increasing function of $\hat{\sigma}$. When the elasticity of substitution is small, which is the case for developing countries like Morocco, $\hat{\delta}$ tends to zero and numerical problems show up in solving the model. We can proceed in a similar way for the parameters of the export function which depend on the free parameter Ω . Further details are given in Abdelkhalek (1994).

To calibrate and simulate this model, we need estimates of the foreign trade elasticities σ and Ω . No earlier estimates of such parameters for Morocco appear to be available in the literature. The closest work is that of Khan (1975) and Stern et al. (1976), who estimated import and export elasticities with respect to their relative price, as opposed to the substitution and transformation elasticities which appear in our model. Further, the work of Khan (1975) leads to elasticities which are essentially zero for Morocco over the period of 1951–1969, so we estimated the needed elasticities from Moroccan data over a more recent period.

The two required elasticities were estimated simultaneously from Moroccan data covering the period of 1962-1992. An econometric analysis of structural change in the two estimated equations (relating the logarithms of the ratios *D/M* and *E/D* to the logarithms of the corresponding price ratios and a measure of overall economic activity) led us to divide the sample into two more homogeneous subperiods, 1962-1972 and 1973-1992. The two estimated equations are given in appendix C. Without going into the details of this econometric analysis, which is not the purpose of this paper, note that the two equations have contemporaneously correlated disturbances, so the latter were estimated as a set if seemingly unrelated regressions (SURE). Shocks that affect exports may also affect imports, and vice versa, hence the correlation between the disturbances. In this way we obtained the following estimates for (Ω, σ) for the subperiod 1962–1972, with the corresponding asymptotic covariance matrix:

$$\hat{\Omega}_{T} = 0.392957, \quad \hat{\sigma}_{T} = 1.432371; \\ \hat{\Sigma} = \begin{pmatrix} 0.185303 & -0.017096 \\ -0.017096 & 0.024113 \end{pmatrix}.$$
(38)

Of course, given the very small sample size on which these estimates are based, the usual large sample distributional theory may not be very reliable here, and the resulting confidence sets should be interpreted with caution. Given the available data, these appeared to be the best that could be obtained. Using these estimates of the free parameters of the model, we can then calibrate the other parameters on the basis of the reference year and simulate the model. The latter were performed with the GAMS-MINOS program.

C. A Simulation

In general, CGE models are built to study the effects of various economic policies or changes in other exogenous variables X of the model. Given a change in X, the model is solved for a new equilibrium. We will study here the effect of a 25% increase in transfers from the rest of the world to households in Morocco. These transfers consist mainly of repatriations by Moroccan workers abroad, an important source of foreign currency for Morocco. Indeed, the latter country receives more currency from this source than from phosphate exports and tourism. These transfers of income have increased during the 1980s due to returns of emigrants and to various public policies encouraging fund repatriations. As these transfers may take several channels, they are difficult to measure statistically. In particular they can go through formal channels or take the form of liquidities brought during holidays, settlements between compatriots, or even purchases of imported goods. The first of these elements is the only one measured by official balance of payments statistics, which shows a regular progression at an annual rate of 22% between 1970 and 1990.7 This evolution appears to corroborate a positive reaction to various incentives put forward by public authorities. Because of the importance of these repatriations, it is of interest to study their economic impact on the Moroccan economy. Although our first objective here will be to illustrate the methods proposed, our general equilibrium simulations will also provide useful information for economic policy. The transfers have direct effects on household income, and indirect effects on consumption, saving, investment, and government revenue. The simulation which follows studies these aggregate effects.

The results of the simulation are displayed in table 1. They show that the increased influx of currency raises household income *YM* and saving *SM*, consumption *CM*, and thus the total demand originating from households, both for the composite good Q and the domestic good D. Since the structure of the model, and especially its closure, does not allow an increase in supply (added value *VA* or intermediate consumption *CI*), the price p_D of domestic goods increases, leading to an increase of imports M(because of their substitutability with domestic goods). The currency influx decreases the nominal exchange rate E, that is, it leads to an appreciation of the national currency, which

⁷ See Centre Marocain de Conjoncture (1991).

TABLE 1.—SIMULATION RESULTS FOR A 25% INCREASE OF TRANSFERS FROM THE REST OF THE WORLD TO HOUSEHOLDS IN MOROCCO

	Reference Year Value	Value After	Variable (Variable Change		
Variable	(SAM 1985)	Simulation	In Value	In %		
VA	116858.000	116858.000	0.0000	0.0000		
CI	121584.800	121584.800	0.0000	0.0000		
P_D	1.000	1.00602	0.00602	0.60200		
p_c	1.000	1.000	0.0000	0.0000		
p_M	1.21134	1.18247	-0.02887	-2.38331		
p_E	0.98966	0.96607	-0.02359	- 2.38365		
Ε	1.000	0.97617	-0.02383	-2.38300		
СМ	83829.100	85948.75722	2119.65722	2.52855		
IT	35122.800	35666.55332	543.75332	1.54815		
М	42806.000	44761.86308	1955.86308	4.56913		
EX	32198.000	31867.92374	- 330.07626	- 1.02515		
D	209847.000	210168.7960	321.79600	0.15335		
Q	261699.700	264363.111	2663.41100	1.01774		
YM	102093.100	104674.571	2581.47100	2.52855		
YG	23402.700	23709.12414	306.42414	1.30935		
TAXM	9046.700	9234.58631	187.88631	2.07685		
TAXE	333.000	321.73096	- 11.26904	- 3.38410		
SM	14116.000	14472.92953	356.92953	2.52855		
SG	-4677.600	- 4371.17586	306.42414	6.55088		

Notes: VA—value added in volume; CI—intermediate consumption in volume; p_D —price of domestic good; p_C —price of composite good; p_M —domestic price of imported good price; p_E —price; of exported good; E—nominal exchange rate (price of foreign currency in dirhams); CM—household consumption in value; IT—aggregate investment in value; M—imports in volume; EX—exports in volume; D—internal demand for domestic good; Q—demand for composite good in volume; VM—household income; VG—government income; TAXM—taxes on imports; TAX—taxes on exports; SM—household savings; SG—government savings.

in turn decreases exports *EX* and increases imports *M*. As imports increase more in value than exports decrease and duty rates are higher on imports, government receipts increase. Furthermore, due to the raise of household income, direct taxes increase, government saving *SG* follows, and the government deficit decreases. The current balance account (saving from the rest of the world) is exogenous in this model and thus remains unchanged. All savings increase or remain fixed. Aggregate investment *IT*, given the closure of the model, increases and puts additional pressure on internal demand and imports. All these trends are symptoms of what is known as the "Dutch disease."

The reactions of the endogenous variables of the model, especially imports, exports, and internal demand for the domestic good, depend on the substitutability between the different goods represented by the elasticities Ω and σ . Indeed the smaller these elasticities the larger the effects of the shocks simulated here. The results in table 1 only give point estimates of the endogenous variables associated with given elasticity estimates and exogenous variables. Any

 TABLE 2.—PARTIAL DERIVATIVES OF ENDOGENOUS VARIABLES OF INTEREST

 WITH RESPECT TO FREE PARAMETERS

	Reference		Partial Derivative			
Variable	Value (SAM 1985)	Value after Simulation ^a	With Respect to Ω	With Respect to σ		
EX	32198.00	31867.92374	- 704.70814873	175.60394618		
M	42806.00	44761.86308	-625.08111575	282.41984793		
SG	-4677.60	-4371.17586	- 55.51498001	168.39212746		
Π	35122.80	35666.55332	-13.84375390	224.97662966		
D	209847.00	210168.7960	688.37048328	-168.60157041		
E	1.00	0.97617	0.01272404	0.01047215		

Note: a After a 25% increase of transfers from the rest of the world to Moroccan households.

serious analysis should look at the robustness of the results to parameter uncertainty. The procedures proposed here allow one to build confidence sets for the endogenous variables of the model, and we will now give such confidence sets for the endogenous variables of most interest.

Wald-Type Confidence Sets: As there are only two free parameters in this model, confidence sets of the ellipsoidal type may be built only for two variables at a time. We can however obtain Wald-type confidence intervals for all the variables of the model. We shall concentrate on six of these variables: exports EX, imports M, government saving SG, aggregate investment IT, internal demand for the domestic good D, and nominal exchange rate E.

Table 2 gives the partial derivatives of these six endogenous variables with respect to the two free parameters, which are the source of the uncertainty. These derivatives were evaluated by numerical methods (as described in appendix B) using symmetric parameter perturbations with $h = \hat{\beta}_{T}^{k}/1000$. Given these, we can build marginal confidence intervals for the endogenous variables of interest. Table 3 presents such intervals (with level 95%) for the endogenous variables under the new vector of exogenous variables, the difference with respect to the reference year value and the difference in percentage. We see from these that the effect of the 25% increase in transfers is clearly positive (at the 5% level) for three variables (*M*, *SG*, *IT*) and negative for another one (E), while the intervals for EX and D include zero, indicating that these effects are not statistically significant (although these intervals also cover values that may be economically sizable). All the intervals are fairly precise in the sense that the difference between the upper and

TABLE 3.—MARGINA	. WALD-TYPE	CONFIDENCE	INTERVALS ^a
------------------	-------------	------------	------------------------

	Confidence Interval		Difference with Respect to Reference Year (1985) Value		Difference in %		
Variable	Lower Bound	Upper Bound	Lower Bound	Upper Bound	Lower Bound	Upper Bound	Range
EX	31257.500	32478.347	- 940.4999	280.3474	-2.9210	0.8707	3.7917
М	44206.248	45317.478	1400.2481	2511.4780	3.2711	5.8671	2.5960
SG	- 4448.946	-4293.405	228.6535	384.1947	4.8883	8.2135	3.3252
IT	35594.208	35738.899	471.4077	616.0989	1.3422	1.7541	0.4119
D	209572.824	210764.768	-274.1761	917.7681	-0.1307	0.4374	0.5681
Ε	0.9657824	0.9865576	-0.0342176	-0.013442	-3.4218	- 1.3442	2.0776

Note: a At the 95% levels.

lower bounds (the *range*) is always less than 4% of the corresponding level, even less than 1% for *IT* and *D*.

Tables 2 and 3 also give the confidence interval construction for variables taken individually. In the case of this model, ellipsoidal simultaneous confidence sets can be obtained for pairs of endogenous variables. For the sake of illustration, we show in figure 1 a 95% confidence ellipsoid for the changes of public saving SG and aggregate investment IT. We see from the shape of this ellipse that the changes in SG and IT are positively associated, which is not surprising. We also report on the same figure Boole-Bonferroni 95% simultaneous confidence intervals (central square), which are easier to understand but yield a somewhat wider confidence set.

Projection-Based Confidence Sets: The simultaneous estimations of the two foreign trade elasticities Ω and σ by the SURE procedure yield a covariance matrix which can be used to build a confidence set for the vector $\beta = (\Omega, \sigma)'$. This confidence set can be rectangular if we ignore the covariance between the estimators of the two foreign trade elasticities. Interestingly, this approach also allows one to use estimates that are not based on the same data or for which a covariance matrix is not available. In the case considered here, we have a covariance matrix, and so we can build an ellipsoidal confidence set for Ω and σ . For illustrative purposes, we present here results based on rectangular and ellipsoidal confidence sets for β . Throughout the confidence level is 95%.

The rectangular confidence set is obtained by simply estimating Ω and σ separately (through two regressions) and then building confidence intervals C_{Ω} and C_{σ} for Ω and σ from these regressions. To ensure that the resulting rectangle has the desired coverage probability, we build confidence intervals C_{Ω} and C_{σ} with levels $1 - \alpha_1$ and $1 - \alpha_2$,

750 700 650 600 550 500 450 400 350 100 150 200 250 300 VSG 350 400 450 500

FIGURE 1.—SIMULTANEOUS CONFIDENCE SETS FOR VSG AND VIT (LEVEL = 95%)

respectively, where $\alpha = \alpha_1 + \alpha_2$. In contrast with the SURE approach considered below, this method does not make any assumption on the form of the dependence between the errors in the two equations. This is due to the fact that the level $\alpha = \alpha_1 + \alpha_2$ is obtained through the Boole–Bonferroni inequality, which holds irrespective of the nature of the dependence between the two separate regressions used. For further discussion of such methods, see Dufour and Torrès (1998). More precisely, we take $\alpha_1 = \alpha_2 = \alpha/2 = 0.025$ and find the intervals

$$C_{\Omega} = [\Omega - t(\alpha_1; 8)s_{\Omega}, \Omega + t(\alpha_1; 8s_{\Omega}^2)]$$

$$C_{\sigma} = [\hat{\sigma} - t(\alpha_1; 6)s_{\sigma}, \hat{\sigma} + t(\alpha_1; 6)s_{\sigma}]$$
(39)

where s_{Ω} and s_{σ} are the usual standard error estimates for Ω and $\hat{\sigma}$, $t(\alpha_1; v)$ is such that $P[t(v) \ge t(\alpha_1; v)] = \alpha_1$, and t(v) is a Student's t random variable with v degrees of freedom. Here we take $\alpha_1 = 0.025$; hence $t(\alpha_1; 8) = 2.75152$ and $t(\alpha_1; 6) = 2.96869$. Furthermore the intervals may cover negative values of the elasticities, which are viewed as inadmissible by economic theory, or values for which the model has no numerical solution (which we also take as inadmissible). So the confidence set was also truncated to exclude such values. This turned out to matter only for the Ω interval, which had to be truncated to the left at the smallest value for which a numerical solution does exist: this value is 0.3633. The final simultaneous confidence intervals so obtained are

$$0.3633 \le \Omega \le 2.7319, \qquad 0.4762 \le \sigma \le 2.0513.$$
 (40)

In other words, the rectangle represented by equation (40) is a confidence set for $(\Omega, \sigma)'$, whose level is not inferior to 0.95. By maximizing and minimizing the endogenous variables subject to equation (40), we can then find 95% confidence intervals for the latter. The results are reported in table 4, panel A.

The results based on this method yield wider intervals than the Wald-type method. Since the basic estimates are different and are based on weaker assumptions (a possible dependence between the two equations estimated is not modeled), this is not surprising. Nevertheless these results still show that the effect of the fund transfer increase is clearly positive (at the 5% level) for **M** and **IT** and negative for *E*. Furthermore the effect on *EX* is now clearly negative and that on D clearly positive. The effect on SG is not statistically different from zero, but this interval is quite wide and covers mostly positive values.

Consider now an ellipsoidal confidence set for Ω and σ . Such a confidence set takes into account the correlation between the estimators of the two parameters. Let β be the SURE estimator of $\beta = (\Omega, \sigma)'$ and Σ its estimated covariance matrix. Then, under the assumptions of the SURE model, the quadratic form

$$\boldsymbol{Q} = (\hat{\boldsymbol{\beta}} - \boldsymbol{\beta})' \hat{\boldsymbol{\Sigma}}^{-1} (\hat{\boldsymbol{\beta}} - \boldsymbol{\beta})/\boldsymbol{p}$$
(41)




TABLE 4.—CONFIDENCE INTERVALS^a FOR SIX ENDOGENOUS VARIABLES

	Confidence	e Interval Difference with Respect to Reference Year (1985) Value			Difference in %			
Variable	Lower Bound	Upper Bound	Lower Bound	Upper Bound	Lower Bound	Upper Bound	Range	
A. Projection from a Rectangular Confidence Set for the Parameters								
EX	30609.184	31966.332	-1588.8164	-231.6680	- 4.9345	-0.71951	4.21501	
М	43561.513	44908.459	755.5117	2102.4609	1.7650	4.91160	3.14664	
SG	-4699.347	- 4290.609	- 21.7466	386.9907	-0.4649	8.2733	8.73818	
IT	35223.041	35772.746	100.2383	649.9453	0.28539	1.85049	1.56510	
D	210073.700	211402.950	226.7031	1555.9063	0.10803	0.74145	0.63342	
Ε	0.9506900	0.9893900	- 0.04931	-0.010610	-4.93100	-1.06100	3.87000	
		B. Projection fro	om an Ellipsoidal Con	fidence Set for the Po	arameters			
EX	31095.856	31963.886	- 1102.1445	-234.1133	-3.42302	-0.72711	2.69592	
M	44044.210	44904.419	1238.2110	2098.4180	2.8926	4.90217	2.00955	
SG	-4515.478	- 4293.113	162.1221	384.48730	3.46592	8.21976	4.75383	
Π	35470.860	35769.392	348.0586	646.5898	0.99098	1.84094	0.84996	
D	210076.000	210926.200	229.0000	1079.2031	0.10913	0.51428	0.40515	
Ε	0.9647500	0.9858600	-0.035250	-0.014140	-3.52500	-1.41400	2.11100	

Note: a At the 95% level.

follows approximately an F(p, T - K) distribution with p = 2 and T - K = 12. Then by choosing $F_{0.05} = F_{0.05}(p, T - K) = 3.88529$, where $P[F(p, T - K) \ge F_{\alpha}(p, T - K)] = \alpha$, the set

$$\boldsymbol{C} = \left[\boldsymbol{\beta} \in \mathbf{R}^{2}: \quad (\hat{\boldsymbol{\beta}} - \boldsymbol{\beta})' \hat{\boldsymbol{\Sigma}}^{-1} (\hat{\boldsymbol{\beta}} - \boldsymbol{\beta}) / \boldsymbol{p} \le \boldsymbol{F}_{0.05}\right]$$
(42)

is a confidence set for β whose level is approximately 0.95. Since this confidence set can cover negative values of Ω and σ or values for which the model has no solution, it was further restricted as in equation (40), which yields the confidence set

$$\begin{pmatrix} 0.392957 - \Omega \\ 1.432371 - \sigma \end{pmatrix}' \begin{pmatrix} 0.185303 & -0.017096 \\ -0.017096 & 0.024113 \end{pmatrix}^{-1} \\ \times \begin{pmatrix} 0.392957 - \Omega \\ 1.432371 - \sigma \end{pmatrix} \le 7.77058, \quad \Omega \ge 0.3633.$$

$$(43)$$

As for the rectangular confidence set, the confidence intervals for the endogenous variables of the model are obtained on maximizing and minimizing each of them subject to in equation (43). They are reported in table 4, panel B.

The confidence intervals obtained by the latter method are much shorter than those based on projecting from the conservative rectangular confidence set (see table 4A). This is not surprising since the SURE method uses stronger statistical assumptions on the dependence between the two equations (which are the same as in the Wald-type method) and yields more efficient estimators under these assumptions. More surprisingly, despite the fact that projectionbased intervals are "conservative," the confidence intervals in table 4B are shorter than the Wald-type intervals for three variables (EX, M, D) out of six. Furthermore, none of the intervals covers zero, and so all effects are statistically significant (at the 5% level): positive for M, SG, IT, and D, and negative for EX and E. More precisely according to this simulation, the 25% increase in fund repatriations leads to an appreciation of the dirham (decrease in E between 1.41% and 3.52%), to a decrease of exports (between 0.73% and 3.42%), and to increases of imports (2.89% to 4.90%), savings (3.47% to 8.22%), investment (0.99% to 1.84%), and aggregate demand (0.11% to 0.51%). Even if the projection technique is computationally more demanding, it is more reliable (in the sense that levels are better controlled) and more powerful (in the sense that confidence intervals may be shorter).

VII. Conclusion

During recent years CGE models have become important tools of policy analysis. However, parameter uncertainty throws doubt on the reliability of simulation results. In this paper, we have proposed formal methods for assessing this type of uncertainty. These rely on building confidence sets, of which two variants were considered. The first approach is based on a Wald-type statistic and can be applied easily whenever an estimator with an approximately normal distribution and an estimate of its covariance matrix are available. The second approach applies a projection technique from a (sampling or Bayesian) confidence set on the free parameters of the model. The latter requires considerably less regularity conditions than the former (especially on the nonlinear structure of the model) and allows great flexibility in the nature of the information used on the uncertain free parameters. Furthermore, it can be implemented with standard numerical procedures usually applied to solve CGE models.

We then considered a simple model of the Moroccan economy and studied the effect of a 25% increase of fund repatriations by Moroccans working abroad. We showed that the methods proposed for assessing the uncertainty of the simulations could be implemented easily in the context of a CGE model and yielded quite reasonable results. For the six variables studied, we found using the projection technique that all the changes predicted by the simulations were significantly different from zero (at a level of 5%) and could be ascertained by tight confidence intervals. In particular, using the projection technique (from a SURE-based ellipsoidal confidence set on the parameters), we found remarkably short confidence intervals on the six variables considered, which all indicated statistically significant effects: appreciation of the dirham, export reduction, and increases in imports, savings, investment, and aggregate demand. Even though this model does not involve a large number of free parameters estimated by econometric methods, it is clear that GAMS and the methods proposed in this paper can accommodate much larger models and parameter numbers. In applications of CGE models to developing countries, however, the main limitation will remain the availability of good data for estimating the relevant parameters.

REFERENCES

- Abdelkhalek, Touhami, "Inférence statistique pour modèles de simulation et modèles calculables d'équilibre général: Théorie et applications à un modèle de l'économie marocaine," Ph.D. thesis, Université de Montréal (1994).
- Ballard, Charles L., Don Fullerton, John B. Shoven, and John Whalley, A General Equilibrium Model for Tax Policy Evaluation (Chicago: University of Chicago Press, 1985).
- Bernheim, Douglas B., John K. Scholz, and John B. Shoven, "Consumption Taxation in a General Equilibrium Model: How Reliable Are Simulation Results?," Technical Report, Department of Economics, Stanford University (1989).
- Brooke, A., David Kendrik, and A. Meeraus, *GAMS: A User's Guide* (Palo Alto, CA: Scientific Press Redwood City, 1988).
- Byron, R. P., "The Estimation of Large Social Account Matrices," *Journal* of the Royal Statistical Society, ser. A, 141 (1978), 359–369.
- Campbell, Bryan, and Jean-Marie Dufour, "Exact Nonparametric Tests of Orthogonality and Random Walk in the Presence of a Drift Parameter," *International Economic Review* 38 (1997), 151–173.
- Canova, Fabio, "Statistical Inference in Calibrated Models," Journal of Applied Econometrics 10 (Supplement), (Dec. 1994), S123–S144.
- Canova, Fabio, M. Finn, and Adrian R. Pagan, "Evaluating a Real Business Cycle Model," in C. Hargreaves (ed.), *Nonstationary Time Series Analysis and Co-integration* (Oxford: Oxford University Press, 1992).
- Centre Marocain de Conjoncture, "Les transferts des TME: Tendances et comportements," Lettre du C.M.C. 7/8 (Oct.–Nov. 1991).
- Condon, Timothy, H. Dahl, and Shantayanan Devarajan, "Implementing a Computable General Equilibrium Model on GAMS: The Cameroon Model," Technical Report, Development Research Department, Economics and Research Staff, World Bank (1987).
- Decaluwé, Bernard, and André Martens, "CGE Modeling and Developing Economies: A Concise Empirical Survey of 73 Applications to 26 Countries," *Journal of Policy Modeling* 10 (1988), 529–568.
- Decaluwé, Bernard, André Martens, and Marcel Monette, "Macro Closures in Open Economy CGE Models: A Numerical Reappraisal," *International Journal of Development Planning Literature* 3:2 (1988), 69–80.
- de Melo, Jaime, and Sherman Robinson, "Product Differentiation and General Equilibrium Models of Small Economies," *Journal of International Economics* 27 (1989), 47–67.
 - "Productivity and Externalities: Models of Export-Led Growth," Journal of International Trade and Economic Development 1 (1992), 41–67.
- Devarajan, Shantayanan, Jeffrey D. Lewis, and Sherman Robinson, "A Bibliography of Computable General Equilibrium (CGE) Models Applied to Developing Countries," Technical Report 224, Harvard University, Cambridge, MA (1986).
 - "Policy Lessons from Trade-Focused Two Sector Models," Journal of Policy Modeling 12 (1990), 625–657.

- Dufour, Jean-Marie, "Nonlinear Hypotheses, Inequality Restrictions and Non-Nested Hypotheses: Exact Simultaneous Tests in Linear Regressions," *Econometrica* 57 (1989), 335–355.
- ——— "Exact Tests and Confidence Sets in Linear Regression with Autocorrelated Errors," *Econometrica* 58 (1990), 475–494.
- Dufour, Jean-Marie, and Jan F. Kiviet, "Exact Tests for Structural Change in First-Order Dynamic Models," *Journal of Econometrics* 70 (1996), 39–68.
- "Exact Inference Methods for First-Order Autoregressive Distributed Lag Models," *Econometrica* 66 (1998), 79–104.
- Dufour, Jean-Marie, and Oliver Torrès, "Union-Intersection and Sample-Split Methods in Econometrics with Applications to SURE and MA(1) Models," in D. Giles and A. Allah (eds.), *Handbook of Applied Economic Statistics* (New York: Marcel Dekker, 1998), 465–505.
- Fève, Patrick, and François Langot, "The RBC Models through Statistical Inference: An Application with French Data," *Journal of Applied Econometrics* 10 (Supplement), (Dec. 1994), S11–S35.
- Gouriéroux, Christian, and Alain Monfort, *Statistique et Modèles Économétriques*, vols. 1 and 2 (Paris: Economica, 1989).
- Gregory, Allan W., and Gregor W. Smith, "Calibration as Estimation," *Econometric Reviews* 9 (1990), 57–89.

- Groupe de Recherche en Economie Internationale (G.R.E.I.), "La Matrice de Compatabilité Sociale du Maroc de 1985," Monographie 1, Centre d'Études Stratégiques, Faculté des Sciences Juridiques, Économiques et Sociales, Université Mohammed V, Rabat (1992).
- Gunning, Jan W., and M. A. Keyzer, "Applied General Equilibrium Models for Policy Analysis," in J. Behrman and T. Srinivasan (eds.), *Handbook of Development Economics*, vol. 3A (Amsterdam: North-Holland, 1995), 2026–2107.
- Harrison, Glenn W., "A General Equilibrium Analysis of Tarrif Reduction," in T. N. Srinivasan and J. Whalley (eds.), *General Equilibrium Trade Policy Modeling* (Cambridge, MA: MIT Press, 1986).
- "The Sensitivity Analysis of Applied General Equilibrium Models: A Comparison of Methodologies," Technical Report, Department of Economics, University of New Mexico (1989).
- Harrison, Glenn W., Richard Jones, Larry J. Kimbell, and Randall Wigle, "How Robust Is Applied General Equilibrium Analysis? *Journal of Policy Modeling* 15 (1993), 99–115.
- Harrison, Glenn W., and Larry J. Kimbell, "Economic Interdependance in the Pacific Basin: A General Approach," in J. Piggot and J. Whalley (eds.), *New Developments in Applied General Equilibrium Analysis* (Cambridge: Cambridge University Press, 1985).
- Harrison, Glenn W., and Hrishikesh D. Vinod, "The Sensitivity Analysis of Applied General Equilibrium Models: Completely Randomized Factorial Sampling Designs," this REVIEW 79 (1992), 357–362.
- International Monetary Fund, *International Financial Statistics* (1992, 1994).
- Jorgenson, Dale W., "Econometric Methods for Applied General Equilibrium Analysis," in H. E. Scarf and J. B. Shoven (eds.), *Applied General Equilibrium Analysis* (Cambridge: Cambridge University Press, 1984).
- Kehoe, Timothy J., "Regularity and Index Theory for Economies with Smooth Production Technologies," *Econometrica* 51 (1983), 895– 919.
- Khan, Moshin S., "Import and Export Demand in Developing Countries," IMF Staff Papers 21, International Monetary Fund, Washington DC (1975), 678–693.
- Kim, K., and Adrian R. Pagan, "The Econometric Analysis of Calibrated Macroeconomic Models," in M. H. Pesaran and M. R. Wickens (eds.), *Handbook of Applied Econometrics: Macroeconomics* (Oxford: Blackwell, 1995), 356–390.
- Kiviet, Jan F., and Jean-Marie Dufour, "Exact Tests in Single Equation Autoregressive Distributed Lag Models," *Journal of Econometrics* 80 (1997), 325–353.

- Manne, Alan S., "On the Formulation and Solution of Economic Equilibrium Models," *Mathematical Programming Study* 23 (1985), 1–22.
- Mansur, A., and John Whalley, "Numerical Specification of Applied General Equilibrium Models: Estimation, Calibration, and Data," in H. E. Scarf and J. B. Shoven (eds.), *Applied General Equilibrium Analysis* (Cambridge: Cambridge University Press, 1984).
- Martens, André, "La politique économique de développement et les modèles calculables d'équilibre général: Un mariage à la progéniture abondante," *Collection G.R.E.I.*, vol. 1, Rabat, Morocco (1993), 96–119.
- Martin, Marie-Claude, Mokhtar Souissi, et Bernard Decaluwé, "Les modèles calculales d'équilibre général: Les aspects réels," Technical Report, École PARADI de Modélisation de Politiques Économiques de Développement, vol. 2, C.R.E.F.A., Université Laval, and C.R.D.E., Université de Montréal (1993).
- Miller, R. G. *Simultaneous Statistical Inference*, 2nd ed. (New York: Springer-Verlag, 1981).
- Pagan, Adrian R., and J. H. Shannon, "Sensitivity Analysis for Linearized Computable General Equilibrium Models," in J. Piggot and J. Whalley, (eds.), *New Developments in Applied General Equilibrium Analysis* (Cambridge: Cambridge University Press, 1985).
 - —— "How Reliable Are ORANI Conclusions?," *Economic Record* 63 (1987), 33–45.
- Rao, Calyampudi R., *Linear Statistical Inference and Its Applications*, 2nd ed. (New York: Wiley, 1973).
- Royden, H. L., Real Analysis, 2nd ed. (New York: Macmillan, 1968).
- Serfling, Robert J., Approximation Theorems of Mathematical Statistics (New York: Wiley, 1980).
- Shoven, John B., and John Whalley, "Applied General Equilibrium Models of Taxation and International Trade: An Introduction and Survey," *Journal of Economic Literature* 22 (1984), 1007–1051.
- Stern, Robert M., J. Francis, and B. Schumacker, *Price Elasticities in International Trade: An Annotated Bibliography* (London: Macmillan, 1976).
- Wigle, Randall, "Summary of the Panel and Floor Discussion," in T. N. Srinivansan and J. Whalley (eds.), *General Equilibrium Trade Policy Modeling* (Cambridge, MA: MIT Press, 1986), 323–354.
 - "The Pagan–Shannon Approximation: Unconditional Systematic Sensitivity in Minutes," *Empirical Economics* 16 (1991), 35–49.

APPENDIX A

Proofs of Propositions

Proof of Proposition 1: By assumption, the function g is continuous on $C \subseteq \mathbb{R}^{p}$, where C is a compact set. Consequently, from any cover of Cwe can extract a finite subcover. Let $[V_{\alpha}]_{\alpha \in I}$ be a cover of g(C), where all sets V_{α} are open subsets of \mathbb{R}^{m} . Since g is continuous, $[g^{-1}(V_{\alpha})]_{\alpha \in I}$ is an open cover of C. And since C is compact, one can extract a finite cover J of C, that is, we can find a finite subset J of I such that $J \subseteq I$ and $C \subseteq \bigcup_{\alpha \in J} g^{-1}(V_{\alpha})$. Since $g[g^{-1}(V_{\alpha})] \subseteq V_{\alpha}$, then $g(C) \subseteq \bigcup_{\alpha \in J} V_{\alpha}$. Thus $[V_{\alpha}]_{\alpha \in I}$ is a finite cover of g(C), that is, g(C) is compact. The proof for the marginal confidence regions is similar when \mathbb{R}^{m} is replaced by \mathbb{R} and $g(\cdot)$ by $g_{I}(\cdot)$. O.E.D.

Proof of Proposition 2: By assumption, the function g is continuous from $C \subseteq \mathbb{R}^p$ to $g(C) \subseteq \mathbb{R}^m$, and C is connected. Suppose the set g(C) is not connected. This entails that there are two open nonempty sets O_1 and O_2 in \mathbb{R}^m such that

i. $g(C) \cap O_1 \neq \emptyset$, $g(C) \cap O_2 \neq \emptyset$ ii. $g(C) \subseteq O_1 \cup O_2$ iii. $g(C) \cap O_1 \cap O_2 = \emptyset$

(see Royden (1968, p 152)). Since the function g is continuous, it follows that $g^{-1}(O_1)$ and $g^{-1}(O_2)$ are two open sets in \mathbb{R}^p . Moreover, we have

i. $g(C) \cap O_1 \neq \emptyset \Rightarrow \supset y \in \mathbb{R}^m$ such that $y \in g(C) \cap O_1 \Rightarrow \supset \beta \in \mathbb{R}^p$ such that $\beta \in C \cap g^{-1}(O_1) \Rightarrow C \cap g^{-1}(O_1) \neq \emptyset$; we can see that $C \cap g^{-1}(O_2) \neq \emptyset$ in the same way

ii.
$$C \subseteq g^{-1}[g(C)] \subseteq g^{-1}(O_1 \cup O_2) = g^{-1}(O_1) \cup g^{-1}(O_2)$$

iii. $C \cap g^{-1}(O_1) \cap g^{-1}(O_2) = g^{-1}(C \cap O_1 \cap O_2) = g^{-1}(\emptyset) = \emptyset$.

Consequently, the set C is not connected, in contradiction with our assumption. The proof for marginal confidence regions $g_i(C)$, i = 1, ..., m, is analogous.

Proof of Proposition 3: By assumption, the function g is continuous from $C \subseteq \mathbb{R}^p$ to $g(C) \subseteq \mathbb{R}^m$, and C is compact and connected. By propositions 1 and 2, the image $g_i(C)$ of C is compact and connected in \mathbb{R} . But the only compact connected subsets of \mathbb{R} are intervals of the form $[g_i^L(C), g_i^U(C)]$, where $g_i^L(C) > -\infty$ and $g_i^U(C) < +\infty$.

Q.E.D.

APPENDIX B:

Wald-Type Procedure Algorithm

The main difficulty in the implementation of the Wald-type procedure is to compute the derivatives $G(\beta_T)$. This can be done as follows. After a first solution of the model has been obtained for the reference year with $\beta = \beta_T$ and the initial values of the exogenous variables, we solve the model a second time (base solution) with a new set of exogenous variables (which may represent a different policy), but keeping the same coefficient vector β_T . We then need to evaluate the matrix $G(\beta_T)$ of the derivatives of Y at the base solution. This can be done by considering small perturbations, symmetrical or not, of each component of β_T . In the case of symmetrical perturbations, we need to solve the model 2p times (in addition to the two basic simulations), while only p solutions are required for asymmetrical perturbations. The relative precision of the two procedures depends on the shape of the function $g(\cdot)$. In both methods, parameter perturbations should be very small and applied to one parameter at a time. For each perturbed parameter vector, the model is then solved (with the same set of exogenous variables). The difference between two corresponding perturbed solutions (in the symmetrical case) or between each perturbed solution and the base solution is then used to evaluate each partial derivative. More precisely, $G(\beta_T)$ is evaluated as follows (in the case of symmetrical perturbations).

- 1. Solve the model with $\beta = \beta_T$ and calibrate it to reproduce the reference year according to equations $Y_0 = M(X_0, \beta, \gamma)$ and equation (2).
- 2. Compute the new equilibrium under the new exogenous variables vector X_1 , which yields the base solution $Y = \overline{g}(X_1, \beta_T)$.
- 3. For each k = 1, ..., p, consider two modified β vectors, the first obtained by changing component $\hat{\beta}_T^k$ of $\hat{\beta}_T$ to $\hat{\beta}_T^k + h$ (the other components remaining the same), and the second by changing $\hat{\beta}_T^k$ to $\hat{\beta}_T^k h$, where *h* is small. The value of *h* may be a fixed fraction of $\hat{\beta}_T^k$ or of its standard deviation.
- 4. Solve the model with these modified parameter vectors (and the new exogenous variables vector). Calibrated parameters which are functions of free parameters are of course modified after each perturbation of a free parameter.
- 5. For k = 1, ..., p, evaluate the partial derivatives with the formula

$$\frac{\partial \overline{g}}{\partial \beta'_{k}}(X_{1}, \hat{\beta}_{T}) = \frac{\overline{g}(X_{1}, \hat{\beta}_{T}^{1}, \dots, \hat{\beta}_{T}^{k} + h, \dots, \hat{\beta}_{T}^{p}) - \overline{g}(X_{1}, \hat{\beta}_{T}^{1}, \dots, \hat{\beta}_{T}^{k} - h, \dots, \hat{\beta}_{T}^{p})}{2h}.$$
(B.1)

The latter algorithm permits evaluating the matrix $G(\beta_T)$ for any values of p and m. Since V_T is known, we can then compute the matrix Ω_T easily. However, because of the rank condition (6), which cannot be satisfied when m > p (i.e., when there are more endogenous variables than free parameters). Simultaneous confidence sets of the ellipsoidal type can be constructed only when the number of endogenous variables is at most equal to the number of free parameters. When p = 2, for example, simultaneous confidence sets for pairs of endogenous variables may be so obtained.

APPENDIX C

Estimation of Foreign Trade Elasticities

To obtain the free parameters Ω and σ , we estimated the following pair of equations from annual Moroccan data:

$$\ln\left(\frac{M}{D}\right) = \alpha_0 + \sigma \ln\left(\frac{P_D}{P_M}\right) + \alpha_1 \ln\left(PIB\right) + u_1$$
(C.1)

$$\ln\left(\frac{E}{D}\right) = \gamma_0 + \Omega \ln\left(\frac{P_E}{P_D}\right) + \gamma_1 \ln\left(PIBW\right) + u_2.$$
(C.2)

The data come from the International Monetary Fund (International Financial Statistics (IFS), 1992 and Jan. 1994) and the variables are defined as follows:

- М Index of imports, IFS line 73 (1985 = 100)
- Index of domestic consumption (1985 = 100)D
- Wholesale price index, IFS line 63 (1985 = 100)Price index of imports, IFS line 75 (1985 = 100) P_D
- Р_М PIB Real gross domestic product in billions of 1985 dirhams, IFS line 99b
- Index of exports, IFS line 72 (1985 = 100) E
- Price index of exports, IFS line 74d (1985 = 100) P_E
- PIBW Index of gross domestic product of industralized countries, IFS line 110(1985 = 100)

The parameters of equations (C.1) and (C.2) were estimated first equation by equation (by least squares) and then as a SURE system, using

Micro TSP (version	6.0).	The results	of the	estimations	are	displayed	in
table C.1.							

TABLE C.1—ESTIMATION OF FOREIGN ELASTICITIES							
Independent	0	LS	SURE				
Variables	ln (M/D)	ln (E/D)	ln (M/D)	ln (<i>E/D</i>)			
Constant	1.80681 (0.7172)	1.54106 (1.0832)	1.81084 (0.5329)	3.00096 (0.8615)			
$\ln\left(\boldsymbol{P}_D\right)/\boldsymbol{P}_M)$	1.26371 (0.2653)	—	1.43237 (0.1553)	—			
ln (PIB)	- 0.47815 (0.1649)	—	-0.45754 (0.1272)	—			
$\ln\left(\boldsymbol{P}_{E}/\boldsymbol{P}_{D}\right)$	—	0.69138 (0.7417)	—	0.39296 (0.4305)			
ln (<i>PIBW</i>)	—	- 0.47823 (0.19844)	—	- 0.78371 (0.1821)			
Sample size ^a	9	11	9	9			
R^2	0.8132	0.6260	0.7983	0.7390			
s (SE of reg.)	0.0578	0.0768	0.0601	0.0711			
D–W	2.5010	1.4767	2.2939	1.2114			

Notes: Standard errors are given in parentheses.

^a Because of missing data, the numbers of observations differ across equations (9 observations for 1964–1972; 11 observations for 1962–1972).